

BASSO





PS008

- Ergonomic grip design for better maneuverability of the tool.
- High performance motor maximizes output speed.
- Reliable heat treated planetary gear machined form bar stock.
- Durable motor design with high balance for precision work without vibration.
- Feather trigger can help on precision work.
- Durable bit holder.
- Rear exhaust design to minimize the discomfort of exhaust air
- Thumb lever to switch drive direction with one finger.

APPLICATION:

Spring work, maintenance of buses & trucks, high volume tire work on trucks, buses, heavy equipment, farm implement work.

***Lower torque range also available at request.**

Model	Chuck Size		RPM	Adjustable Clutch	Length		Weight		Torque		Air Consumption		Minimum Hose Size	
	in.	mm			in.	mm	Lbs	kgs	in-Lbs	Nm	CFM	l/min	in.	mm
PS018P-A1	1/4	6.4	1,800	Positive (no adjustment)	7.4	190	2.5	1.13	20-115	5-12	5	140	3/8	10
PS018A-A1	1/4	6.4	1,800	Internal	8.5	215	2.7	1.23	20-115	5-12	5	140	3/8	10
PS018E-A1	1/4	6.4	1,800	External	8.5	215	2.7	1.23	20-115	5-12	5	140	3/8	10
PS008A-A1	1/4	6.4	550	Internal	8.5	215	2.8	1.28	20-115	5-12	5	140	3/8	10
PS008E-A1	1/4	6.4	550	External	8.5	215	2.8	1.28	20-115	5-12	5	140	3/8	10



DR118

- Ergonomic grip design for better maneuverability of the tool.
- High performance motor maximizes output speed.
- Reliable heat treated planetary gear machined form bar stock.
- Durable motor design with high balance for precision work without vibration.
- Feather trigger can help on precision work.
- Thumb lever to switch drive direction with one finger.
- Industrial Keyed and Keyless chuck available for option.

APPLICATION:

Spring work, maintenance of buses & trucks, high volume tire work on trucks, buses, heavy equipment, farm implement work.

Model	Chuck Size		RPM	Chuck Type	Length		Weight		Air Consumption		Minimum Hose Size	
	in.	mm			in.	mm	Lbs	kgs	CFM	l/min	in.	mm
DR118-A1	3/8	10	1,800	Keyed	8	203	2.42	1.12	5	140	3/8	10
DR118KL-A1	3/8	10	1,800	keyless	8	203	2.42	1.12	5	140	3/8	10
DR205-A1	1/2	13	500	Keyed	9-1/4	235	4.3	1.95	5	140	3/8	10
DR205KL-A1	1/2	13	500	keyless	9-1/4	235	4.3	1.95	5	140	3/8	10
DR208-A1	1/2	13	800	Keyed	9-1/4	235	4.3	1.95	5	140	3/8	10
DR208KL-A1	1/2	13	800	keyless	9-1/4	235	4.3	1.95	5	140	3/8	10



Basso is the world leading manufacturer for pneumatic nailers / staplers. Basso leverages its solid foundation of pneumatic nailers / staplers into the automotive air tools.

Basso is constantly working on the development of a more extensive pneumatic nailers / staplers product line that can not only meet the various demands of professional users but also exceed their expectations of superior performance and quality.

If you need any product information, please feel free to contact with us.

BASSO

BASSO INDUSTRY CORP.

No. 24, 36th Rd., Taichung Industrial Park, Taichung, 40768
Taiwan, R.O.C.

Tel: +886-4-2350 0628 / Fax: +886-4-2359 8880

E-mail: sales@basso.com.tw

www.BASSO.com.tw



2012.02.21