

# BASSO





**SAW10-A2**

- Patent shock reduction device for great hand fatigue release.
- Most small & low vibration tool.
- High cutting capacity but lightest weight of it's class.
- Universal swivel air inlet joint to prevent twist to the hoses when operation.
- Adjustable rear exhaust directs air away from work-piece.
- Optional comfort grip produces comfortable holding even for long time operation.



**SAW10-B1**



**SAW5-A1**

Model	Blows Per Min	Stroke Length		Weight		Air Inlet	Hpse Size	Vibration	Overall Length		Ave. Air Consumption	
	B.P.M	in	mm	Lbs.	kgs	NPT	in	m/s <sup>2</sup>	in	mm	CFM	l/min
SAW10-A1	9,000	3/8	10	1.25	0.57	1/4" NPT/PT	O.D. 3/8	1.59	9.3	236.4	1.24	35.1
SAW10-A2	9,000	3/8	10	1.435	0.65	1/4" NPT/PT	O.D. 3/8	1.59	9.3	236.4	0.96	27.17
SAW10-B1	9,000	3/8	10	1.531	0.695	1/4" NPT/PT	O.D. 3/8	2.4	9.67	245.5	1.08	30.5
SAW5-A1	10,000	3/8	10	0.97	0.44	1/4" NPT/PT	O.D. 3/8	1.91	6.685	169.8	1.27	29.8



**B-09, B-10, B-11**



**B-12, B-13, B-14**

Part No.	Description
B-09	18T Saw Blade
B-10	24T Saw Blade
B-11	32T Saw Blade
B-12	ø3 file
B-13	ø4 file
B-14	ø5 file



Basso is the world leading manufacturer for pneumatic nailers / staplers. Basso leverages its solid foundation of pneumatic nailers / staplers into the automotive air tools.

Basso is constantly working on the development of a more extensive pneumatic nailers / staplers product line that can not only meet the various demands of professional users but also exceed their expectations of superior performance and quality.

If you need any product information, please feel free to contact with us.

# BASSO

**BASSO INDUSTRY CORP.**

No. 24, 36th Rd., Taichung Industrial Park, Taichung, 40768  
Taiwan, R.O.C.

Tel: +886-4-2350 0628 / Fax: +886-4-2359 8880

E-mail: [sales@basso.com.tw](mailto:sales@basso.com.tw)

[www.BASSO.com.tw](http://www.BASSO.com.tw)



2012.02.21