



PACKWAY INC.
緯華企業股份有限公司
緯華用心 精緻創新



Strapping Machine Series



ISO 9001
FM57756



台灣精品
TAMMOCLENCE



High Speed Automatic Models

PW-0540DUAT Automatic Strapping Machine

DUAT: High Speed strap with UPE Arch and Auto Strap Loading

Power	3Ø, 220/380/415/440V, 50/60Hz
Standard Arch Size	W 550 x H 400 mm (other sizes made on request)
Strap Width	5,6 mm
Strapping Tension	0 ~ 70 Kgs
Strapping Speed	50 straps/min.
Working Height	850 ~ 890 mm
Machine Size	L 1012 x W 571 x H 1500 mm

Features

- Strapping speed of up to 1.05 sec./strap
- New strapping head with servo motors for maximum speed performance
- Auto loop ejector
- UPE Arch
- Built-in strap dispenser
- Strap-end remover with open arch function
- Strap tension from 1 to 30 kgs

Options

- Detection for no strap (for online system)
- Stainless steel structure SUS #304
- Single phase (1Ø)



PW-0540DUAT



I am from Taiwan

🏠 56, 35th Road. Taichung Industrial Park,
Taichung 407, TAIWAN, R.O.C
☎ +886 4 2359 1858
📠 +886 4 2359 7489
🌐 www.packway.com