



PACKWAY INC.
緯華企業股份有限公司
緯華用心 精緻創新



We pack your way

Wrapping Machine Series



ISO 9001
FM57756



台灣精品
TAMAC EXCELLENCE





PW-1521RB-T2

PW-1521RB-T2 Pallet Wrapping Machine


RB : PCB & Membrane SW control

T2 : Electromagnetic brake type

Power	1Ø, 220/230/240V, 50/60Hz
Turntable Dia.	1500 mm
Wrapping Height	2100 mm
Turntable Speed	5 ~ 15 RPM (Adjustable)
Film Carriage Speed	2 ~ 5 M/min. (Adjustable)
Loading Weight	2000 Kgs
Machine size	L1510 x W2705 x H2421mm

Options

- Access ramp
- Turntable diameter Ø1650, Ø1800
- Wrapping height 2400mm, 2700mm
- Weigh Scale
- Film carriage head choices:
T1, T2 / PT, PT1, PT2, PT3, VPT / PF



PW-1521R-T2

PW-1521R-T2 Pallet Wrapping Machine

R : PLC & traditional switch control

T2 : Electromagnetic brake type

Power	1Ø, 220/230/240V, 50/60Hz
Turntable Dia.	1500 mm
Wrapping Height	2100 mm
Turntable Speed	5 ~ 15 RPM (Adjustable)
Film Carriage Speed	2 ~ 5 M/min. (Adjustable)
Loading Weight	2000 Kgs
Machine size	L1510 x W2705 x H2421mm

Options

- Access ramp
- Turntable diameter Ø1650, Ø1800
- Wrapping height 2400mm, 2700mm
- Film carriage head choices:
T1, T2 / PT, PT1, PT2, PT3, VPT / PF
- Weigh Scale



I am from Taiwan

🏠 56, 35th Road. Taichung Industrial Park,
Taichung 407, TAIWAN, R.O.C
☎ +886 4 2359 1858
📠 +886 4 2359 7489
🌐 www.packway.com