



PACKWAY INC.
緯華企業股份有限公司
緯華用心 精緻創新



We pack your way

Wrapping Machine Series



ISO 9001
FM57756



台灣精品
TAMAC ELENCE



Standard Models



PW-1521RBJ-T2

PW-1521RBJ-T2 Pallet Jack / Horse Shoe

RBJ : PCB & Membrane SW control

T2 : Electromagnetic brake type

| | |
|---------------------|---------------------------|
| Power | 1Ø, 220/230/240V, 50/60Hz |
| Turntable Dia. | 1500 mm |
| Wrapping Height | 2100 mm |
| Turntable Speed | 5 ~ 15 RPM (Adjustable) |
| Film Carriage Speed | 2 ~ 5 M/min. (Adjustable) |
| Loading Weight | 1200 Kgs |
| Machine size | L1800 x W2502 x H2432mm |

Options

- Turntable diameter Ø1650, Ø1800
- Wrapping height 2400mm, 2700mm
- Film carriage head choices:
T1, T2 / PT, PT1, PT2, PT3, VPT / PF
- PLC control



PW-1521RBH-T2

PW-1521RBH-T2 Pallet Wrapping Machine -Heavy Duty

RBH : PCB & Membrane SW control

T2 : Electromagnetic brake type

| | |
|---------------------|---------------------------|
| Power | 1Ø, 220/230/240V, 50/60Hz |
| Turntable Dia. | 1723 mm |
| Wrapping Height | 2100 mm |
| Turntable Speed | 5 ~ 15 RPM |
| Film Carriage Speed | 2 ~ 5 M/min |
| Loading Weight | 4000 Kgs |
| Machine size | L1320 x W2350 x H2614 |

Options

- Wrapping height 2400mm, 2700mm
- Film carriage head choices:
T1, T2 / PT, PT1, PT2, PT3, VPT / PF
- Weigh Scale



I am from Taiwan

🏠 56, 35th Road. Taichung Industrial Park,
Taichung 407, TAIWAN, R.O.C
☎ +886 4 2359 1858
📠 +886 4 2359 7489
🌐 www.packway.com