

# BASSO



# 1/2" Impact Wrench

- TWIN-HAMMER mechanism provides more power and smooth balanced blows .
- Ergonomics housing design.
- Uphill soft grip provides comfortable holding even for long time operation.
- Handle exhaust directs air away from workpiece and operator.
- Energy efficient motor for maximum performance & long life.
- COMPOSITE tool provides superior comfort from its strong and lightweight, even balance and compact profile.
- Optional 360 degree air inlet swivel keeps air hose from being twisted and kinked.

### APPLICATION:

Heavy automotive and truck work, such as tire changing, shock, spring work, front end work, and anywhere else extra powerful tools are needed.

**IT242-B1**



**IT250-B1**



**IT242-A1**



**IT250-A1**



**IT260T-A1**



Model	Housing Material	Square Drive	Max Torque		Impact Mechanism	Free Speed	Std Bolt Size		Length		Weight		Min Hose Size		Ave. Air Consumption	
			Ft-lb	Nm			RPM	in.	mm	in.	mm	Lbs	kgs	in.	mm	CFM
IT242-A1	Mg.	1/2"	500	670	Twin Hammer	7,500	5/8	16	7.76	197	5.00	2.29	3/8	10	4.5	128
	Al.										5.65	2.57				
IT242-B1	Mg.	1/2"	500	670	Twin Hammer	7,500	5/8	16	7.76	197	4.55	2.07	3/8	10	4.5	128
IT250-A1	Mg.	1/2"	550	740	Twin Hammer	7,500	5/8	16	8.19	208	5.87	2.67	3/8	10	4.7	133
	Al.										6.29	2.86				
IT250-B1	Mg.	1/2"	550	740	Twin Hammer	7,500	5/8	16	8.19	208	5.28	2.40	3/8	10	4.7	133
IT260T-A1	Composite	1/2"	685	928	Twin Hammer	7,500	5/8	16	6.85	191	4.28	1.94	3/8	10	4.7	133



Basso is the world leading manufacturer for pneumatic nailers / staplers. Basso leverages its solid foundation of pneumatic nailers / staplers into the automotive air tools.

Basso is constantly working on the development of a more extensive pneumatic nailers / staplers product line that can not only meet the various demands of professional users but also exceed their expectations of superior performance and quality.

If you need any product information, please feel free to contact with us.

# BASSO

**BASSO INDUSTRY CORP.**

No. 24, 36th Rd., Taichung Industrial Park, Taichung, 40768  
Taiwan, R.O.C.

Tel: +886-4-2350 0628 / Fax: +886-4-2359 8880

E-mail: [sales@basso.com.tw](mailto:sales@basso.com.tw)

[www.BASSO.com.tw](http://www.BASSO.com.tw)



2012.02.21