



· Long Handle provides excellent comfort and control, especially when working on vertial sides of workpiece, Different dia. orbit for different sanding application, durable compostie design, built-in power regulator for optimized power control.

APPLICATION:

Auto body shop paint parts, auto bumper fabricated metal parts, steel caps, fiberglass boats, final finish sanding, architectural millwork, ets.



Model	Pad Size		Dia Orbital		Vacuum Type	Free Speed	Ave. Air Consumption	
	in.	mm	in.	mm		RPM	CFM	l/min
OS235C	5	127	3/32	2.5	Central Vac	10,000	2.5	71
OS236	6	152	3/32	2.5	Non-vac	10,000	2.5	71
OS236C	6	152	3/32	2.5	Central Vac	10,000	2.5	71
OS255C	5	127	3/16	5	Central Vac	10,000	2.5	71 .
OS256	6	152	3/16	5	Non-vac	10,000	2.5	71
OS256C	6	152	3/16	5	Central Vac	10,000	2.5	71
OS295C	5	127	3/8	10	Central Vac	10,000	2.5	71
OS296	6	152	3/8	10	Non-vac	10,000	2.5	71
OS296C	6	152	3/8	10	Central Vac	10,000	2.5	71
OS258H	8	203	3/16	5	Non-vac	10,000	3.3	93.5
OS258HC	8	203	3/16	5	Central Vac	10,000	3.3	93.5
OS295H	5	203	3/8	10	Non-vac	12,000	3.2	90.7







Basso is the world leading manufacturer for pneumatic nailers / staplers. Basso leverages its solid foundation of pneumatic nailers / staplers into the automotive air tools.

Basso is constantly working on the development of a more extensive pneumatic nailers / staplers product line that can not only meet the various demands of professional users but also exceed their expectations of superior performance and quality.

If yor need any product information, please feel free to contact with us.

BA550

BASSO INDUSTRY CORP.

No. 24, 36th Rd., Taichung Industrial Park, Taichung, 40768 Taiwan, R.O.C.

Tel: +886-4-2350 0628 / Fax: +886-4-2359 8880

E-mail: sales@basso.com.tw

www.BASSO.com.tw



2012.02.21